





The options are many. With our large selection of garden cabins, you are sure to find your favourite place.





Working in your own garden


A pleasant workstation in your garden cabin - why not? Lasita Maja's garden cabins are perfect for this: high quality, modern and cosy at the same time. A range of accessories make sure that there is something suitable for everyone. The best thing is that your own home is not far away, yet there is enough distance between the two - both spatially and emotionally. So it's not hard to wind down in the evening. Just step outside the door, take a deep breath and enjoy the atmosphere of your garden.




FROM OFFICE TO SUNLOUNGER IN 10 STEPS OR 10 SECONDS.



LASITA MAJA www.lasita.com YOUR GARDEN CABIN 4 | 5





A PLACE FOR HOBBIES. **FOR INTERESTS THAT NEED** A LITTLE MORE SPACE, **QUIET, LEISURE** AND NATURE.



Garden cabins are the perfect place for pursuing a fulfilling hobby. Our light-flooded models, for example, are perfect for creating an oasis of plants. But a workshop, gym or art studio will also look great in a garden cabin from Lasita Maja.

6|7

Lasita Maja.

MORE THAN 20 YEARS OF QUALITY

EVERY GARDEN CABIN BEGINS WITH A DREAM.

It's your dream. At Lasita Maja, we bring it to life.

As an experienced manufacturer of high-quality log cabins, we produce children's playhouses, pavilions, garages and individual holiday homes, as well as classic garden cabins. To do this, we use the best wood and combine modern and gentle processing technology with traditional craftsmanship and secure packaging. We are well aware that high quality equals happy customers. And if there's one thing that matters most, it's getting the details right.











CERTIFIED WOOD

We use only selected Nordic spruce for our garden cabins. Its flexible properties make it perfect for use as building and construction timber. Its slow growth in Europe's colder regions makes the wood particularly sturdy and solid.

In general, wood is a sustainable, renewable raw material. Since we value environmentally responsible timber management, all our products in this catalogue are FSC® Mix or PEFC certified.





Ask about FSC[®] certified products





To ensure that we deliver a unique product, we rely on a combination of long-standing employees with a great deal of experience and modern machinery. Trained eyes inspect and sort the materials and components. Our precision machine tools saw, plane and mill the individual parts to the correct dimensions and shapes. Before being carefully and securely packed, everything undergoes a final inspection.

In order to be able to offer our customers the best quality, we have implemented a quality management system that complies with the requirements of the ISO 9001 standard. Our products also come with a 2-year or a 5-year warranty.



OUR RECIPE FOR SUCCESS: HIGH-QUALITY NORDIC RAW MATERIALS, STATE-OF-THE-ART PROCESSING AND DECADES OF EXPERIENCE.



DELIVERED TO YOUR DOOR

The assembly kit

Your garden cabin will be delivered as a complete kit in one or more packs. Comprehensive assembly instructions are included. If you do not begin assembly immediately after delivery, store your garden cabin in a dry location, protected from UV light.

Delivery

We deliver our products to your specialist dealer on request or "to the kerb" at your home for an additional charge. Delivery will be made on the agreed date using a 40-t HGV. There must be no restrictions to access for this vehicle.





Presenting:

THE HIGH-END PAINT SYSTEM FOR GARDEN CABINS MADE IN ESTONIA.





STRONG PARTNERS: OSMO AND LASITA MAJA.

We work with the major German brand supplier Osmo. Osmo has more than 50 years of experience with coloured wood finishes "Made in Germany". With Osmo as a partner, we are able to ensure the best possible coating, a long life and the best protection for your wood product.



ALL CABINS IN 4 COLOURS. NO UNDERCOAT REQUIRED!







Glacier green

Our 4 colours

The unique, environmentally friendly, water-based stain from Osmo is ideally suited for professional use outdoors, providing lasting protection for your garden cabin. The doors, windows and cover strips are always supplied in cream white. Please note that the colours illustrated may differ from the actual finish due to the limitations of printing inks.



Carbon grey



At a glance

- Garden cabin delivered as standard in natural state
- Environmentally friendly and low-odour treatment
- Ideal protection against weather, fungi, insect infestation, mildew and blue stain
- Paint for repairing minor damage included in delivery
- Recommended maintenance interval 5 years (depending on location, compass direction and colour), Lasita Maja warranty max. 5 years*.



REVERSE INSTALLATION

Please note that reverse installation of coloured garden cabins is not possible due to the one-sided colour finish!

The advantages of our wood treatment

- · No undercoat required.
- 3-sided colour treatment of the wall boards
- Natural finish on the interior, creating a natural feeling of wellbeing inside
- Unique six-sided colour treatment of the log corner joints and log heads
- Natural roof purlins and roof boards

www.lasita.com COLOURS 10 | 11

^{*}Find out more about our warranty conditions in the assembly instructions or at www.lasita.com.





TOP LINE.

STURDY ALL-ROUNDERS WITH A HIGH STANDARD OF DESIGN.



Modern, functional and heat-insulating: Windows and doors in aluminium. They create an attractive element of style in the classic log cabin, provide maximum protection from the weather and exude a natural living atmosphere. The high-tech aluminium materials and the traditional wood materials are an unbeatable pair.

Essentials

SPRUCE 44 MM


WALL BOARDS WITH DOUBLE TONGUE AND GROOVE

IMPREGNATED SUBSTRUCTURE


FLOORBOARDS 18 MM ROOF BOARDS 18 MM

SAFETY GLASS


U-VALUE WINDOW / DOOR 3.0 / 2.6











DESIGN



1 Wall thickness mm



TOP LINE 14 | 15





BEAUTIFUL MODEL FOR A COSY OUTDOOR FEEL.



APPROPRIATE ACCESSORIES







MURANO 2 ALU+

corner covers

DECORATIVE CABIN WITH PRACTICAL SLEEPING LOFT.

MURANO 2

44553 Item number Base dimensions W × D 410 × 300 cm Wall thickness 44 mm 11.68 m² Floor area 35.96 m³ Capacity 251 cm Side wall height 365 cm Ridge height 18 cm Roof overhang Roof area 18.49 m² Glazed sliding door W × H 304 × 203 cm Single window W x H 60 × 183 cm Floor thickness 18 mm 1 × 15 m + 2 × 10 m Roof covering, optional Roof shingles, optional (pack) 8 3 Glass panel, sliding

Glass panel, fixed







APPROPRIATE

ACCESSORIES

With sleeping loft







www.lasita.com TOP LINE 16 | 17





APPROPRIATE ACCESSORIES



Roof shingles in various colours



Premium roofing pane



Other accessorie

MURANO 3 ALU+

SPACIOUS MODEL FOR ENJOYING AN AFTERNOON TEA – AND FOR AMBITIOUS GARDEN PROJECTS.





www.lasita.com TOP LINE 18 | 19





SARDINIA ALU+



MODERN GARDEN CABIN WITH A LOT OF ROOM IN A SMALL SPACE.

	SARDINIA 1	SARDINIA 2
Item number	44558	44563
Base dimensions W × D	250 × 250 cm	350 × 250 cm
Wall thickness	44 mm	44 mm
Floor area	5.82 m ²	8.23 m ²
Capacity	13.93 m ³	19.7 m ³
Side wall height	239 cm	239 cm
Ridge height	239 cm	239 cm
Roof area	5.81 m ²	8.51 m ²
Single door W x H	84 × 198 cm	84 × 198 cm 84 × 190 cm
Single window W x H	120 × 47 cm	120 × 47 cm
Floor thickness	18 mm	18 mm
Onduline, optional	2 ×	2 ×

APPROPRIATE ACCESSORIES







Other accessories can be found from page 126.



LASITA MAJA TOP LINE 20 | 21 www.lasita.com

SARDINIA 3 44569 Base dimensions W × D 500 × 250 cm Wall thickness 44 mm 11.85 m² Floor area 27.35 m³ Capacity 239 cm Side wall height Ridge height 239 cm 12.27 m² Roof area Glazed double door 158 × 198 cm $W \times H$ Single door W x H 83 × 190 cm Single window W x H 120 × 47 cm Floor thickness 18 mm 3 × Onduline, optional

APPROPRIATE ACCESSORIES



Onduline



Bar uni

Other accessories

SARDINIA 3 ALU

PENT ROOF MODEL WITH LARGE DOUBLE DOOR – FOR A CONTEMPORARY LIFESTYLE IN THE GARDEN.














Optionally available with custom-made interior sets in two sizes, also adaptable to our other garden cabins.

180 INTERIOR SET S 83.5x190



Add a second room to your garden cabin as an interior set, such as a bathroom, closet or store room. Available in two sizes. Perfect for cubic models, but can also be adapted to other garden buildings (taking into account interior space and roof height). With practical, space-saving sliding door with opaque frosted glass.

Essentials

SPRUCE 44 / 70 MM

DOUBLE TONGUE AND GROOVE

IMPREGNATED SUBSTRUCTURE

FLOORBOARDS 18 MM / 28 MM ROOF BOARDS 18 MM

SAFETY GLASS

DOUBLE GLAZING

U-VALUE WINDOW / DOOR 3.045

DOMEO RANGE.

ULTRAMODERN DESIGN WITH HUGE WINDOW AND DOOR FRONTS.


This exceptionally stylish garden cabin series is characterised by roomheight window fronts with large lockable sliding doors, accented with colour-matching aluminium trim.






















SMALL GARDENS.



www.lasita.com









DOMEO 2

PRACTICAL ROOF EXTENSION FOR OUTDOOR ENJOYMENT SHIELDED FROM THE RAIN.





APPROPRIATE ACCESSORIES











DOMEO 3

www.lasita.com

INDOORS AND OUTDOORS – THANKS TO LIGHTFLOODED ROOMS.




	DOMEO 3	ROOF EXTENSION
Item number	41272	9901200
Base dimensions W × D	509 × 322 cm	300 × 322 cm
Wall thickness	44 mm	_
Floor area	15.67 m ²	9.30 m ²
Capacity	36.17 m ³	_
Side wall height	239 cm	239 cm
Ridge height	239 cm	239 cm
Roof overhang	10 cm	10 cm
Roof area	17.18 m ²	9.75 m ²
Glazed sliding door W x H	304 × 203 cm	_
Glazed sliding door W x H	204 × 203 cm	_
Single door W x H	84 × 196 cm	_
Single window W x H	100 × 203 cm	_
Floor thickness	18 mm	_
Onduline, optional	4 ×	3 ×
Glass panel, sliding	5	_
Glass panel fixed	2	_






DOMEO 3 LOGGIA

PRACTICAL TWO-ROOM CABIN INCLUDING COVERED TERRACE.





DOMEO 30 | 31






MODERN GARDEN CABIN WITH LARGE WINDOWS.



	DOMEO 4	ROOF EXTENSION
Item number	41277	9901200
Base dimensions W × D	418 × 322 cm	300 × 322 cm
Wall thickness	44 mm	_
Floor area	12.82 m ²	9.30 m ²
Capacity	29.59 m ³	_
Side wall height	239 cm	239 cm
Ridge height	239 cm	239 cm
Roof overhang	10 cm	10 cm
Roof area	14.22 m ²	9.75 m ²
Glazed sliding door W x H	400 × 203 cm	_
Glazed sliding door W x H	204 × 203 cm	_
Floor thickness	18 mm	_
Onduline, optional	4 ×	3 ×
Glass panel sliding	6	_






DOMEO 4 LOGGIA

CONTINUOUS GLASS FACADE WITH COVERED TERRACE.

	DOMEO 4 LOGGIA
Item number	41297
Base dimensions W × D	418 × 322 cm
Roof dimensions W × D	598 × 422 cm
Wall thickness	44 mm
Floor area	22.38 m ²
Capacity	51.65 m ³
Side wall height	239 cm
Ridge height	239 cm
Roof overhang	80 cm
Roof area	24.46 m ²
Glazed sliding door W x H	400 × 203 cm
Floor thickness	18 mm
Onduline, optional	6 ×
Glass panel, sliding	4






32 | 33 DOMEO www.lasita.com









DOMEO 5

LARGE GLASS PANELS ON THREE SIDES PROVIDE A MAXIMUM FEELING OF SPACE IN YOUR GARDEN CABIN.



DOMEO 6 DOMEO 6 LOGGIA


IDEAL FOR A CORNER IN THE GARDEN. FLOODED WITH LIGHT AND PLENTY OF SPACE.

	DOMEO 6	DOMEO 6 LOGGIA
Item number	41287	41302
Base dimensions W × D	500 × 500 cm	500 × 500 cm
Wall thickness	44 mm	44 mm
Floor area	17.90 m ²	17.90 m ²
Capacity	58.45 m ³	58.45 m ³
Side wall height	251 cm	251 cm
Ridge height	251 cm	251 cm
Roof overhang	10 cm	10 cm
Roof area	18.97 m ²	26.26 m ²
Glazed sliding door W x H	204 × 203 cm	204 × 203 cm
Floor thickness	18 mm	18 mm
Onduline, optional	5 ×	6 ×
Glass panel, sliding	4	4

DOMEO 6 509,3



DOMEO 6 LOGGIA








www.lasita.com DOMEO 36 | 37





MODERN LOOK, LARGE WINDOWS AND A COVERED SEATING AREA FOR RAINY DAYS.








DOMEO 8 ALU+

ULTRAMODERN DESIGN WITH 28 MM THICK DOUBLE GLAZED BI-FOLD DOORS.







www.lasita.com DOMEO 38 | 39

DOMEO 9 ALU+

CONTEMPORARY DESIGN WITH BI-FOLD DOOR GLASS FRONT.


	DOMEO 9	DOMEO 10
Item number	7015641	7015741
Base dimensions W × D	450 × 450 cm	450/850 × 450 cm
Wall thickness	70 mm	70 mm
Floor area	19 m ²	19 + 28 m ²
Capacity	47.83 m ³	91.71 m ³
Side wall height	245 cm	245 cm
Ridge height	261 cm	262 cm
Roof overhang	120 cm	120 cm
Roof area	34.81 m ²	52.51 m ²
2 x glazed bi-fold door W x H	340 × 198 cm	340 × 198 cm
Floor thickness	28 mm	28 mm
Onduline, optional	9 ×	13 ×








WHEN YOU NEED A LITTLE MORE LUXURY: CORNER DOOR DESIGN WITH LARGE COVERED OUTDOOR AREA.









DOMEO 11

UNADORNED MODEL WITH TWO SEPARATE ROOMS AND LARGE GLASS FRONTS.









APPROPRIATE ACCESSORIES



Onduline



Mirror film

Other accessories can be found from page 126.



www.lasita.com DOMEO 42 | 43





GARDEN CABINS.

SOLID, ROBUST AND PROCESSED WITH CARE IN EVERY RESPECT.

The classic log construction method has been tried and tested for centuries and is ideally suited to wood buildings for every conceivable use – from a small tool shed to an inviting garden cabin. The range of technical specifications is correspondingly broad but they are all characterised by their extremely robust and durable construction.



DESIGN

Threaded rod or storm strip

Depends on the model, optional

1 Wall thickness mm 28/34/40/44 2 Double tongue and groove From 34 mm

Wind-tight chalet connection

3 Wind protection

Wall insulationImpregnated substructure

6 Floorboards

7 Roof boards

8 Roof construction

ROOF CONSTRUCTION
15 or 18 mm

Roof purlins

15 or 18 mm



Essentials

SPRUCE 28 / 34 / 40 / 44 / 70 MM

DOUBLE TONGUE AND GROOVE FROM 34 MM


IMPREGNATED SUBSTRUCTURE

FLOORBOARDS 15 MM / 18 MM ROOF BOARDS 15 MM / 18 MM

SAFETY GLASS

U-VALUE WINDOW / DOOR 5.6 / 3.3





WINDOW Wood type glued wood Untreated spruce

1 Profile thickness mm 28/34/40/44
2 Mullions (With) screws

3 Safety glass Single (4 mm) or double (4 / 6 / 4)

U-value > W / m²K 5.6 or 3.3

Rubber seal Dependin

4 Rubber seal Depending on model
5 Drip cap Wood / aluminium

Window opening Inwards or inwards / outwards

Opening system 2-hand tilt&turn



DOORS

Wood type glued wood Untreated spruce
1 Profile thickness mm 28/34/40/44
2 Mullions (With) screws

3 Safety glass Single (4 mm) or double (4 / 6 / 4)

U-value > W / m^2 K 5.6 or 3.3

4 Rubber seal Depending on model5 Door threshold Aluminium / coated metal

Door opening Exterior

6 Lock Cylinder



www.lasita.com GARDEN CABINS 46 | 47



OPTIMISED QUALITY -PROVEN PRODUCTS MADE EVEN BETTER.

We have optimised the proven quality of our windows and doors. Please note the corresponding symbol for the respective cabins:













How you benefit


Windows:

- · Single glazing 4 mm
- · Window frame in glued spruce, pre-installed
- · Window drip cap in wood
- · Window openings inward
- · Fittings not pre-installed
- · Code: SGA

Door:

- · Door frame not pre-installed
- Door frame in glued spruce
- Including pre-installed screw-on hinges and simple locks
- Door incl. cylinder lock
- Door incl. cylinder lock
 Door threshold on selected models in aluminium
- · Code: SGA/TA





SILVER

How you benefit

Windows:

- · Single glazing 4 mm
- · Window frame in glued spruce, pre-installed
- · Window drip cap in wood
- · Window openings inward
- · Fittings pre-installed
- · Code: SGC/MGC

Door:

- · Door frame pre-installed
- · Door frame in double-glued spruce
- Including pre-installed screw-in hinges and milled locks
- Door incl. cylinder lock
- · Door threshold on selected models in aluminium
- · Outward-opening doors
- · Code: SGC/MGC/TC



GOLD

How you benefit

Windows:

- · Double-glazed safety glass on selected models
- · Window frame in glued spruce, pre-installed
- Window drip cap in aluminium
- Windows equipped with seals
- Tilt&turn windows open inwards
- · Fittings pre-installed
- · Code: DGP+


Door:

- Door frame pre-installed
- · Door frame in double-glued spruce
- Including pre-installed screw-in hinges and milled locks
- · Hinges adjustable in three directions
- Door incl. cylinder lock
- · Door threshold in aluminium
- · Doors equipped with seals
- · Outward-opening doors
- · Code: DGP+/TP+











How you benefit

- Windows:
- Double glazing
- · Window frame in glued pine, pre-installed
- Window drip cap in aluminiumWindows equipped with seals
- Tilt&turn windows open inwards
- Solid fittings pre-installed
- · Including drip cap in coated metal
- Code: 2+



Door:

- Double glazing
- Door frame pre-installed
- · Door frame in glued pine
- · Door leaf with sturdy double-cassette panels
- Including pre-installed screw-in hinges and milled locks
- · Hinges adjustable in three directions, with attractive caps
- Door including cylinder lock
- · Door threshold in coated metal
- · Doors equipped with seals
- Outward-opening doors
- Code: 2+



How you benefit

- · Windows:
- Double glazing
- · Window frame in glued pine, pre-installed
- Window drip cap in aluminium
- · Windows equipped with seals
- · Glazing bar attachment with clips on selected models
- 1-hand tilt&turn windows open inwards
- Solid fittings pre-installed
- · Including drip cap in coated metal
- · Code: 3+



Door:

- Double glazing
- Door frame pre-installed
- Door frame in glued pine
- Door leaf with sturdy double-cassette panels
- Including pre-installed screw-in hinges and milled locks
- · Hinges adjustable in three directions, with attractive caps
- Door incl. cylinder lock and multi-point locking system
- · Door threshold in coated metal
- · Doors equipped with seals
- · Outward-opening doors
- Code: 3+

www.lasita.com LASITA MAJA GARDEN CABINS 50 | 51



SICILY 1



SMALL GARDEN BLISS, BIG IN DESIGN.



Sicily I with optional roof extension, can be installed on right or left

	SICILY 1	ROOF EXTENSION
Item number	4428802	997500
Base dimensions W × D	410 × 350 cm	300 × 350 cm
Wall thickness	44 mm	44 mm
Floor area	13.69 m ²	9.94 m ²
Capacity	31.21 m ³	22.65 m ³
Side wall height	217 cm	217 cm
Ridge height	228 cm	228 cm
Roof overhang	80 cm	80 cm
Roof area	14.96 m ²	13.64 m ²
Glazed double door W x H	149 × 190 cm	_
2x large single window W × H	56 × 178 cm	_
Floor thickness	18 mm	_
Onduline, optional	4 ×	3 ×




APPROPRIATE ACCESSORIES



Other accessories

Gutter






SICILY 2



STYLISH OUTDOOR ROOM – WITH EXTRA STORAGE SPACE.



APPROPRIATE ACCESSORIES



Sicily 2 with optional roof extension, can be installed on right or left





can be found from page 126.

Gutter






MODERN CABIN, PERFECT FOR A CORNER OF THE PLOT.

Capacity



Floor thickness Roof covering, optional Roof shingles, optional (pack) 2 doorstops included








EDINBURGH GOLD

MODERN, WITH SPACE-SAVING CORNER DOOR AND LIGHT-FLOODED INTERIOR.







1 × 15 m

www.lasita.com GARDEN CABINS 54 | 55



DORSET GOLD

MODERN DESIGN, DOUBLE DOORS AND LARGE WINDOWS - FOR A **PERFECT WORKING ATMOSPHERE IN** YOUR OWN GARDEN.















	DORSET 1	DORSET 2	DORSET 3	DORSET 71	DORSET 72	DORSET 73
Item number	348902	3419602	3419702	709502	709602	709702
Base dimensions W × D	390 × 250 cm	390 × 300 cm	500 × 390 cm	400 × 250 cm	450 × 250 cm	480 × 250 cm
Wall thickness	34 mm	34 mm	34 mm	70 mm	70 mm	70 mm
Floor area	9.30 m ²	11.24 m ²	18.90 m ²	9.11 m ²	10.29 m ²	11 m²
Capacity	20.70 m ³	25.30 m ³	42.55 m ³	20.75 m ³	23.79 m ³	25.43 m ³
Side wall height	211 cm	211 cm	211 cm	224 cm	224.40 cm	224.40 cm
Ridge height	234 cm	239 cm				
Roof overhang	50 cm	50 cm	50 cm	80 cm	80 cm	80 cm
Roof area	13.82 m ²	15.96 m ²	25.30 m ²	16.56 m ²	18.36 m ²	19.44 m ²
Glazed double door W x H	159 × 196 cm	159 × 196 cm	159 × 196 cm	158 × 193 cm	158 × 193 cm	158 × 193 cm
Single window W x H	56 × 178 cm	56 × 178 cm	56 × 178 cm	110 × 173 cm	110 × 173 cm	2 × 110 × 173 cm
Fixed window W x H	101 × 178 cm	101 × 178 cm	101 × 178 cm	_	55 × 173 cm	
Floor thickness	18 mm					
Roof covering, optional	2 × 10 m	2 × 15 m	2 × 15 m	2 × 10 m	2 × 15 m	3 × 15 m













DOUBLE BI-FOLD DOORS PROVIDE MAXIMUM SPACE AND SUFFICIENT ACCESS TO THE GARDEN.









SNAP & WATCH



APPROPRIATE ACCESSORIES









www.lasita.com GARDEN CABINS 58 | 59



APPROPRIATE ACCESSORIES



Onduline




Bar unit

Other accessories can be found from page 126.



ANDERS GOLD

ULTRAMODERN, BRIGHT GARDEN CABIN WITH COVERED TERRACE: A LIVING ROOM IN THE GARDEN.








SOLID GARDEN CABIN WITH THREE ROOMS. **GALVANISED ROOF EDGING ENSURES** A PREMIUM LOOK.

	JAVA
Item number	4415802
Base dimensions W × D	608 × 390 cm
Wall thickness	44 mm
Floor area	22.80 m ²
Capacity	53.40 m ³
Side wall height	234 cm
Ridge height	260 cm
Roof overhang	60 cm
Roof area	30.50 m ²
Glazed double door W x H	391 × 196 cm
2 x single door W x H	84 × 190 cm
Fixed window W x H	150 × 41 cm
Floor thickness	18 mm
Roof covering, optional	3 × 15 m






LITTLE ROCK SILVER

COSY CABIN WITH COVERED ENTRY AND SEPARATE STORE ROOM.












BRIGHTON GOLD

PLENTY OF SPACE, **PLENTY OF LIGHT,** PLENTY OF NATURE.



HAMPSHIRE GOLD

BRIGHT, COSY CABIN WITH SMALL, **COVERED TERRACE.**

420



APPROPRIATE ACCESSORIES





Other accessories can be found from page 126

HAMPSHIRE BRIGHTON 44 4423202 4416902 Item number Base dimensions W × D 420 × 300 cm 520 × 370 cm 44 mm 44 mm Wall thickness 11.97 m² 18.46 m² Floor area 26.28 m³ 42.63 m³ Capacity Side wall height 200 cm 211 cm Ridge height 239 cm 251 cm 38 cm 30 cm Roof overhang Roof area 18.72 m² 25.52 m² Glazed single door W x H 149 × 185 cm 159 × 196 cm 2 × 56 × 178 cm 56 × 178 cm Single window W x H 101 × 178 cm Fixed window W x H Floor thickness 18 mm 18 mm 2 × 15 m 3 × 15 m Roof covering, optional 10 Roof shingles, optional (pack)








MODERN DESIGN CABIN WITH TWO FREELY POSITIONABLE INTERIOR DOORS.









ORKNEY GOLD

COSY FLAT-ROOFED CABIN WITH FLOOR-TO-CEILING WINDOWS AND DOUBLE DOOR.









Infrared heater

Other accessories can be found from page 126.




www.lasita.com GARDEN CABINS 66 | 67





KEEP YOUR FEET DRY WITH LARGE ROOF AND SIDE ENTRANCE.








CHAMELEON GOLD

THE TRANSFORMATIONAL **WONDER WITH FLEXIBLE POSITIONING OF THE** WINDOW AND SINGLE DOOR.



	CHAMELEON
Item number	4420002
Base dimensions W × D	450 × 300 cm
Wall thickness	44 mm
Floor area	12.85 m ²
Capacity	29.29 m ³
Side wall height	222 cm
Ridge height	234 cm
Roof overhang	80 cm
Roof area	20.93 m ²
Glazed double door W x H	159 × 196 cm
Single door W x H	84 × 195 cm
Fixed window W × H	56 × 178 cm
Floor thickness	18 mm
Roof covering, optional	3 × 15 m






www.lasita.com GARDEN CABINS 68 | 69














Caroline without optional terrace


CAROLINE IS A GREAT CHOICE WITH OR 'HOUT A TERRACE.


Plenty of space – plenty of options. Caroline is perfect for a weekend in nature or as a home office in the garden. It has three rooms. The integrated additional level can be used for storage or as a sleeping loft; it is accessible via a ladder. Caroline has an additional single door which can be positioned as desired during assembly. This means that this garden cabin can be tailored exactly to your wishes.

CAROLINE GOLD SILVER

ENDLESS SPACE - ENJOY THE WEEKEND IN THE GARDEN WITH THE FAMILY.









www.lasita.com GARDEN CABINS 70 | 71





CAROLINE 2.1 GOLD


LIGHT-FLOODED GARDEN CABIN WITH THREE ROOMS AND SLEEPING LOFT.












CAROLINE

2.2 GOLD

STYLISH GAR-DEN CABIN WITH SLEEP-ING LOFT AND HUGE GLASS FRONT.


www.lasita.com GARDEN CABINS 72 | 73






CAROLINE 2.3 GOLD


ENJOY NATURE WITH A FULLY OPENING GLASS FRONT. THREE ROOMS INVITE YOU TO LINGER AND RELAX.








PRACTICAL GARDEN CABIN WITH SEPARATE STORE ROOM FOR GARDEN TOOLS.



www.lasita.com






BALMORAL GOLD

ASYMMETRICAL ROOF FOR THAT CERTAIN SOMETHING. WITH LARGE WINDOW FRONT.





APPROPRIATE ACCESSORIES




in various colours

Infrared heate




Other accessories can be found from page 126.








CLASSIC GARDEN CABIN, PERFECT FOR SMALL GARDENS.














Reverse installation of natural cabin possible




78 | 79 www.lasita.com GARDEN CABINS






COMPACT GARDEN CABIN WITH LARGE GLASS FRONT FOR LOTS OF NATURAL LIGHT.













SPACIOUS, MODERN **CABIN WITH FLOOR-TO-CEILING WINDOWS.**

ELGIN 44 SILVER ELGIN 44 GOLD 39631 39636 Item number Base dimensions W × D 480 × 360 cm 480 × 360 cm Wall thickness 44 mm 44 mm 16.55 m² 16.55 m² Floor area Capacity 40.09 m³ 40.09 m³ Side wall height 217 cm 217 cm 268 cm 268 cm Ridge height 50 cm 50 cm Roof overhang Roof area 23.22 m² 23.22 m² 159 × 196 cm Double door W x H 159 × 196 cm 4 × single window W × H 56 × 178 cm 56 × 178 cm


18 mm

2 × 15 m

18 mm

2 × 15 m

9





www.lasita.com GARDEN CABINS 80 I 81

Floor thickness

Roof covering, optional


Roof shingles, optional (pack)





SPACIOUS AND MODERN GARDEN CABIN, IDEAL FOR THE NEXT POOL PARTY.










LARGE CABIN WITH LOTS OF WINDOWS, AVAILABLE IN TWO QUALITIES.








www.lasita.com GARDEN CABINS 82 | 83






A TOUCH OF VICTORIAN ELEGANCE IN YOUR OWN GARDEN.







KENSINGTON GOLD

ROMANTIC, VICTORIAN-STYLE CABIN WITH ROUND ARCHES.







APPROPRIATE

ACCESSORIES

Other accessories can be found from page 126.





www.lasita.com GARDEN CABINS 84185



PEMBROKESHIRE GOLD

SPACIOUS GARDEN CABIN WITH PLENTY OF SPACE FOR LEISURE ACTIVITIES.








PORTSMOUTH COLD

ROMANTIC CABIN WITH THE SPECIAL LAYOUT AROUND THE CORNER.

	PORTSMOUTH 44
Item number	4420102
Base dimensions W × D	400 × 400 cm
Wall thickness	44 mm
Floor area	11.29 m ²
Capacity	25.76 m ³
Side wall height	211 cm
Ridge height	245 cm
Roof overhang	25 cm
Roof area	19.40 m ²
Double door W x H	124 × 185 cm
Double window W × H	99 × 134 cm
Single window W x H	53 × 134 cm
Floor thickness	18 mm
Roof covering, optional	2 × 15 m
Roof shingles, optional (pack)	9





www.lasita.com GARDEN CABINS 86187





LIKE A SMALL HOLIDAY HOME WITH A COSY VERANDA AND PLENTY OF LIGHT INSIDE.

APPROPRIATE ACCESSORIES








Other accessories



LIVERPOOL DIAMOND

A WIDE WINDOW FRONTAGE PROVIDES GREAT INTERIOR LIGHT WITH LARGE, COVERED TERRACE.














GARAGES.

THE OPTIMAL SPACE, NOT ONLY FOR A CAR.

Do you need more space in your home? No problem! Our garages offer ideal storage options for your vehicle, your bikes or even your workshop. All garages are delivered without a floor.

All garages can be ordered in four variants: 1. without garage door, 2. with wood double garage door, 3. with Hörmann steel up-and-over garage door with profile board frame. 4. new to the range is our sectional garage door, which you can order for selected models.



ESSEMITELLS

DOUBLE TONGUE AND GROOVE

SPRUCE 44 MM

IMPREGNATED SUBSTRUCTURE ROOF BOARDS 15 / 18 MM SAFETY GLASS









ROOF CONSTRUCTION 18 mm

Without floor

6 Roof boards 7 Roof construction Roof purlins

5 Floorboards



www.lasita.com **GARAGES & CARPORTS** 92 | 93





Bahamas without garage door, 2. Bahamas with up-and-over garage door,
 Bahamas with wood garage door, 4. Bahamas with sectional garage door

ULTRAMODERN GARAGE WITH PLENTY OF STORAGE SPACE AND A SMART CARPORT.

	BAHAMAS WITHOUT GARAGE DOOR	BAHAMAS WITH UP-AND-OVER GARAGE DOOR	BAHAMAS WITH WOOD GARAGE DOOR	BAHAMAS WITH SECTIONAL GARAGE DOOR
Item number	4428152	43070	43065	43075
Base dimensions W × D	660 × 540 cm	660 × 540 cm	660 × 540 cm	660 × 540 cm
Wall thickness	44 mm	44 mm	44 mm	44 mm
Floor area	34.59 m ²	34.59 m ²	34.59 m ²	34.59 m ²
Capacity	84.78 m ³	84.78 m ³	84.78 m ³	84.78 m ³
Side wall height	239 cm	239 cm	239 cm	239 cm
Ridge height	251 cm	251 cm	251 cm	251 cm
Roof overhang	10 cm	10 cm	10 cm	10 cm
Roof area	38.10 m ²	38.10 m ²	38.10 m ²	38.10 m ²
Garage door	_	240 × 205 cm	240 × 205 cm	240 × 205 cm
Single door W x H	84 × 190 cm	84 × 190 cm	84 × 190 cm	84 × 190 cm
Single window W x H	56 × 178 cm	56 × 178 cm	56 × 178 cm	56 × 178 cm
2 × fixed window W × H	150 × 41 cm	150 × 41 cm	150 × 41 cm	150 × 41 cm
Roof covering, optional	4 × 15 m	4 × 15 m	4 × 15 m	4 × 15 m
Onduline, optional	9 ×	9 ×	9 ×	9 ×

APPROPRIATE ACCESSORIES





Other accessories can be found from page 126.





SECTIONAL GARAGE DOOR SIMPLE, QUICK AND EFFICIENT INSTALLATION.

	SECTIONAL GARAGE DOOR
Item number	9906800
Garage door dimensions W × H	240 × 205.2 cm
Panel thickness	40 mm

Steel plate thickness 0.32 mmHeat transition coefficient $1.3 \text{ W/m}^2\text{K}$



CONVINCING DETAILS

- Plastic handle on the inside for manual opening of the garage door
- 2 remote controls
- Sandwich panel: Cold rolled
 DX51 + Z structural steel, hot-dip
 galvanised Sendzimir system







1. Canberra without garage door, 2. Canberra with up-and-over garage door, 3. Canberra with wood garage door

WITH SIDE ENTRANCE DOOR IN FROSTED **GLASS FOR LIGHT AND MORE PRIVACY.**

	CANBERRA WITHOUT GARAGE DOOR	CANBERRA WITH UP-AND-OVER GARAGE DOOR	CANBERRA WIT WOOD GARAGE DOOR
Item number	4412193	4412158	4412194
Base dimensions W × D	360 × 540 cm	360 × 540 cm	360 × 540 cm
Wall thickness	44 mm	44 mm	44 mm
Floor area	18.66 m ²	18.66 m ²	18.66 m ²
Capacity	42.54 m ³	42.54 m ³	42.54 m ³
Side wall height	222 cm	222 cm	222 cm
Ridge height	234 cm	234 cm	234 cm
Roof overhang	40 cm	40 cm	40 cm
Roof area	24.90 m ²	24.90 m ²	24.90 m ²
Garage door	-	238 × 208 cm	239 × 202 cm
Single door W x H	84 × 196 cm	84 × 196 cm	84 × 196 cm
2 x fixed window W x H	150 × 41 cm	150 × 41 cm	150 × 41 cm
Floor thickness	_	_	_
Roof covering, optional	4 × 15 m	4 × 15 m	4 × 15 m
Onduline optional	6 ×	6×	6×





3. Hawaii with wood garage door, 4. Hawaii with sectional garage door

BEAUTIFUL SKYLIGHT, A SEPARATE STORE ROOM AND SPACE FOR TWO CARS.

	HAWAII WITHOUT GARAGE DOOR	HAWAII WITH UP-AND-OVER GARAGE DOOR	HAWAII WITH WOOD GARAGE DOOR	HAWAII WITH SECTIONAL GARAGE DOOR			SNAP8
Item number	4410693	4410658	4410694	43080			WATCH
Base dimensions W × D	780 × 520 cm	780 × 520 cm	780 × 520 cm	780 × 520 cm			
Wall thickness	44 mm	44 mm	44 mm	44 mm			
Floor area	39.42 m ²	39.42 m ²	39.42 m ²	39.42 m ²	28,3	579,6 520	31,2
Capacity	103.23 m ³	103.23 m ³	103.23 m ³	103.23 m ³	8 +		
Side wall height	228 cm	228 cm	228 cm	228 cm	00	511,2	100
Ridge height	321 cm	321 cm	321 cm	321 cm	50.		18
Roof overhang	20 cm	20 cm	20 cm	20 cm	 		
Roof area	51.66 m ²	51.66 m ²	51.66 m ²	51.66 m ²			
Garage door	_	238 × 208 cm	239 × 202 cm	240 × 205 cm	780		280
Single door W x H	84 × 185 cm	84 × 185 cm	84 × 185 cm	84 × 185 cm			
3 × fixed window W × H	150 × 41 cm	150 × 41 cm	150 × 41 cm	150 × 41 cm			
Floor thickness	_	_	_	_			280
Roof covering, optional	8 × 10 m	8 × 10 m	8 × 10 m	8 × 10 m		20	08,5
Roof shingles, optional (pack)	19	19	19	19	8 1		



www.lasita.com **GARAGES & CARPORTS** 96 | 97






SPACIOUS GARAGE FOR TWO CARS, WORKSHOP AND STORE ROOM.

	FALKLAND WITHOUT GARAGE DOOR	FALKLAND WITH UP-AND- OVER GARAGE DOOR	FALKLAND WITH WOOD GARAGE DOOR
Item number	4414193	4414158	4414194
Base dimensions W × D	575 × 575 cm	575 × 575 cm	575 × 575 cm
Wall thickness	44 mm	44 mm	44 mm
Floor area	32.06 m ²	32.06 m ²	32.06 m ²
Capacity	85.88 m³	85.88 m ³	85.88 m ³
Side wall height	222 cm	222 cm	222 cm
Ridge height	314 cm	314 cm	314 cm
Roof overhang	30 cm	30 cm	30 cm
Roof area	41.91 m ²	41.91 m ²	41.91 m ²
Garage door	_	238 × 208 cm	239 × 202 cm
Single door W x H	84 × 196 cm	84 × 196 cm	84 × 196 cm
Double window W x H	129 × 88 cm	129 × 88 cm	129 × 88 cm
Floor thickness	_	_	_
Roof covering, optional	4 × 15 m	4 × 15 m	4 × 15 m
Roof shingles, optional (pack)	16	16	16



STORE ROOM FLOOR IF DESIRED








WITH LARGE ROOF OVERHANG AND ROOM FOR ONE CAR AND AN INTEGRATED WORKSHOP.

	NEVIS WITHOUT GARAGE DOOR	NEVIS WITH UP-AND-OVER GARAGE DOOR	NEVIS WITH WOOD GARAGE DOOR
Item number	445193	445158	445194
Base dimensions W × D	500 × 550 cm	500 × 550 cm	500 × 550 cm
Wall thickness	44 mm	44 mm	44 mm
Floor area	21.96 m ²	21.96 m ²	21.96 m ²
Capacity	55.73 m ³	55.73 m ³	55.73 m ³
Side wall height	205 cm	205 cm	205 cm
Ridge height	302 cm	302 cm	302 cm
Roof overhang	20 cm	20 cm	20 cm
Roof area	34.22 m ²	34.22 m ²	34.22 m ²
Garage door	_	238 × 208 cm	239 × 202 cm
Single door W x H	84 × 196 cm	84 × 196 cm	84 × 196 cm
Single window W x H	88 × 88 cm	88 × 88 cm	88 × 88 cm
Floor thickness	_	_	_
Roof covering, optional	4 × 15 m	4 × 15 m	4 × 15 m
Roof shingles, optional (pack)	13	13	13







www.lasita.com **GARAGES & CARPORTS** 98 | 99






PAVILIONS.

STURDY DESIGN, HIGH-**QUALITY WORKMANSHIP** AND BEAUTIFUL DETAILS.

Our pavilions feature top-notch details in high quality, including solid door fittings, sturdy door hinges, real glass doors and windows, prefabricated roof panels and cylindrical security locks. Thus, the round buildings appear airy and light with very stable and high-grade construction at the same time.





DESIGN

1	Wall thickness mm
_	

2 Double tongue and groove

3 Wind protection

4 Wall insulation 5 Impregnated

substructure

6 Floorboards

7 Roof boards

8 Roof construction

44

Threaded rod or storm strip

Design-dependent, optional

ROOF CONSTRUCTION

18 mm

18 mm Roof purlins

Essentials

SPRUCE 44 MM

DOUBLE TONGUE AND GROOVE


IMPREGNATED SUBSTRUC-TURE


FLOORBOARDS 15 MM / 18 MM **ROOF BOARDS 15 MM / 18 MM**

SAFETY GLASS

U-VALUE WINDOW / **DOOR 5.6 / 3.3**









Wood type glued wood Untreated spruce (With) screws Single (4 mm) or double (3/5/3)Design-dependent Aluminium / coated metal Door opening 6 Lock Cylinder SAFETY GLASS










THIS PAVILION FEATURES AN **IMPRESSIVE ALL-ROUND VIEW.**

	ILMENAU
Item number	442300
Base dimensions W × D	350 × 303 cm
Wall thickness	44 mm
Floor area	7.50 m ²
Capacity	18.21 m ³
Side wall height	211 cm
Ridge height	307 cm
Roof overhang	30 cm
Roof area	13.61 m ²
Double door W x H	123 × 185 cm
2 × double window W × H	123 × 121 cm
$3 \times \text{fixed window W} \times \text{H}$	123 × 121 cm
Floor thickness	18 mm
Roof covering, optional	2 × 15 m
Roof shingles, optional (pack)	8






INVERNESS GOLD

THE COSY RELAXATION **SPOT FOR SMALL GARDENS.**

	INVERNESS 44
Item number	4416002
Base dimensions W × D	280 × 242 cm
Wall thickness	44 mm
Floor area	4.73 m ²
Capacity	11.21 m ³
Side wall height	211 cm
Ridge height	290 cm
Roof overhang	17 cm
Roof area	7.78 m ²
Single door W x H	84 × 185 cm
2 × single window W × H	71 × 167 cm
Floor thickness	18 mm
Roof covering, optional	1 × 15 m
Roof shingles, optional (pack)	4






PAVILIONS 104 | 105 www.lasita.com





PERFECT FOR COSY HOURS OUTDOORS.










LIGHT-FLOODED PAVILION FOR COFFEE WITH FRIENDS IN THE GARDEN.

	JAMAICA
Item number	442400
Base dimensions W × D	347 × 347 cm
Wall thickness	44 mm
Floor area	9.46 m ²
Capacity	24.04 m ³
Side wall height	217 cm
Ridge height	345 cm
Roof overhang	21 cm
Roof area	15.15 m ²
Double door W x H	100 × 185 cm
3 × double window size W × H	100 × 121 cm
4 × fixed window W × H	100 × 121 cm
Floor thickness	18 mm
Roof covering, optional	2 × 15 m
Roof shingles, optional (pack)	9





www.lasita.com PAVILIONS 106 | 107





These soon become cosy little homes for living in during the year's brief time-outs. Find your own personal time-out house with us!



A diverse selection

From small to huge: 1 Mont Blanc, the L-shaped cabin with a floor area of 50 m², will win you over with large terrace windows for relaxing in natural light.

2 A terrace can also be added to each of our holiday homes. 3 The Malmö cabin offers plenty of space over two floors, as well as an optional roof over the terrace. Windows on three sides allow sun to flood in at any time of day 4 The Mälaren cabin will also win you over with its high quality and plenty of room in a small space.






WHETHER ONE OR TWO STOREYS, 40 OR 100 SQUARE METRES – YOUR PERFECT FEEL-GOOD RETREAT AWAITS!








WITH US YOU CAN PLAN AND CREATE YOUR OWN HOLIDAY HOME ABSOLUTELY AS YOU WISH.

Looking for something out of the ordinary? None of our products quite what you want? No problem: We plan and create individual holiday homes entirely according to your specifications, wishes and needs. We coordinate with you on all aspects of your holiday home, from design to construction. This will give you the perfect holiday home, whether for a small plot of land or a sloping site. Your individual holiday home will be produced at our Lasita Maja factory. Talk to us!



REQUEST A CATALOGUE NOW.

Your own holiday home is so close! Request your catalogue now featuring all the holiday homes from Lasita Maja. Over 100 pages of holiday feeling. And if the right house is not in the catalogue: with us you can also create your personal dream holiday home! Simply request the catalogue from your specialist dealer or directly from us at www.lasita.com.










A PLAY PARADISE FOR THE LITTLE ONES.

	LIDO
Item number	284799
Base dimensions W × D	215 × 215 cm
Wall thickness	28 mm
Floor area	4.38 m ²
Capacity	8.12 m ³
Side wall height	160 cm
Ridge height	211 cm
Roof overhang	95 cm
Roof area	9.90 m ²
Single door W x H	67 × 145 cm
Single window W × H	56 × 54 cm
Floor thickness	18 mm
Roof covering, optional	1 × 15 m
Roof shingles, optional (pack)	5








BEAUTIFUL CABIN INCLUDING COSY TERRACE.

	PINOCCHIO
Item number	197000
Base dimensions W × D	180 × 180 cm
Wall thickness	19 mm
Floor area	3.10 m ²
Capacity	5.22 m ³
Side wall height	148 cm
Ridge height	188 cm
Roof overhang	80 cm
Roof area	6.48 m ²
Single door W x H	74 × 138 cm
Fixed window W × H	54 × 54 cm
Floor thickness	15 mm
Roof covering, optional	1 × 15 m
Roof shingles, optional (pack)	3










ULTRAMODERN, BRIGHT CABIN WITH PRACTICAL TERRACE.

	FLIPP
Item number	199500
Base dimensions W × D	200 × 160 cm
Wall thickness	19 mm
Floor area	3.06 m ²
Capacity	5.24 m ³
Side wall height	154 cm
Ridge height	188 cm
Roof overhang	15 cm
Roof area	4.40 m ²
Single door W x H	67 × 145 cm
Fixed window W × H	56 × 122 cm
Floor thickness	15 mm
Roof covering, optional	1 × 15 m








A TALL REFUGE FOR SLIGHTLY OLDER CHILDREN.











TIVOLI FOR LITTLE ADVENTURERS.

TIVOLI 1 **SWING SET** 9911900 199800 Item number Base dimensions W × D 160 × 230 cm 232 × 246 cm 19 mm Wall thickness 3.53 m² 5.7 m² Floor area Capacity 6.24 m³ Side wall height 160 cm 193 cm 206.5 cm Ridge height 20 cm Roof overhang 5 m² Roof area Fixed window W \times H Ø 56 cm 1 × 10 m Roof covering, optional



PIPPI WITH PRACTICAL COVER.

	PIPPI 1	PIPPI 2
Item number	9909100	9909200
Base dimensions W × D	150 × 222 cm	150 × 272 cm
Wall thickness	19 mm	19 mm
Floor area	3.19 m ²	4.08 m ²
Capacity	3.89 m³	4.1 m ³
Side wall height	102.6 cm	102.6 cm
Ridge height	141.36 cm	141.36 cm
Roof overhang	15 cm	15 cm
Roof area	3.9 m ²	4.7 m ²
Roof covering, optional	1 × 10 m	1 × 10 m





HEW!









PERFECT IN ANY CORNER. FOR A COMFORTING **FEELING EVEN IN SMALL GARDENS.**










SUNDBORN

A TEMPLE OF LUXURY ON YOUR OWN PROPERTY.

ACCESSORY - SAUNA BENCH



Abisko and Sundborn cabins. For optimal sweating on two levels, the sauna offers enough space for sitting and lying down, according to your individual needs.

	SAUNA BEN
tem number	9906600
Dimonsions	101 v 50 cm

ACCESSORY - SUNDBORN GLASS DOOR



For our two-room Sundborn sauna cabin: the chic glass door as an entrance to the sauna cabin. Made from 8 mm specially tempered glass (bronze).

GLASS

	DOOR
m mber	9906700
earance	62 × 185 cm
	mber



www.lasita.com SAUNA CABINS, SAUNAS & POOLS 124 | 125



STANDARD SINGLE DOOR

SOLID WOOD SINGLE DOOR



	STANDARD SINGLE DOOR
Size	835 × 1957 mm
Wood type	Spruce
Item number	UK.2.056.TSVP MM SGC
Suitable wall thickness	28 / 34 / 40 / 44 mm
Glued wood	+
Mullions	+
Glazing	Single
Glass thickness	4 mm
U-value	5.6 W/m ² K
Silicone seal	_
Water drip	_
Opens	Exterior

MODERN SINGLE DOOR



	MODERN SINGLE DOOR
Size	835 × 1957 mm
Wood type	Spruce
Item number	UK.3.030. TMVP.MM MGC
Suitable wall thickness	28 / 34 / 40 / 44 mm
Glued wood	+
Mullions	_
Glazing	Single (frosted glass)
Glass thickness	4 mm
U-value	5.6 W/m ² K
Silicone seal	_
Water drip	_
Opens	Exterior

ALL-GLASS SINGLE DOOR



	SOLID WOOD SINGLE DOOR
Size	835 × 1975 mm
Wood type	Spruce
Item number	UL.2.100.IVP. MMW TP+
Suitable wall thickness	34 / 40 / 44 mm
Glued wood	+
Mullions	_
Glazing	_
Glass thickness	_
U-value	_
Silicone seal	_
Water drip	_
Opens	Exterior

		ALL-GLASS SINGLE DOOR
10	Size	835 × 1957 mm
	Wood type	Spruce
	ltem number	UK.1.100.TPVP. MM DGP+
	Suitable wall thickness	34 / 40 / 44 mm
	Glued wood	+
ii-	Mullions	_
	Glazing	Double (ISO)
	Glass thickness	3/6/3 mm
100	U-value	3.3 W/m ² K
	Silicone seal	+
100	Water drip	_
(B)	Opens	Exterior

Would you like to order an extra door? No problem! Customise your garden cabin with one of our additional doors. The doors can be ordered in the appropriate thickness and with DIN left or DIN right hinges to ensure that they fit your garden cabin perfectly.

Please do not hesitate to ask your specialist dealer about options and delivery times.

STANDARD DOUBLE DOOR



ALL-GLASS DOUBLE DOOR



MODERN DOUBLE DOOR



	STANDARD DOUBLE DOOR	ALL-GLASS DOUBLE DOOR	MODERN DOUBLE DOOR
Size	1588 × 1850 mm	1494 × 1957 mm	1588 × 1975 mm
Wood type	Spruce	Spruce	Spruce
Item number	TUK.2.056.TPVP. MMW DGP+	TUK.1.108.TSVP. MMb SGC	TUK.4.020.SVP. MM SGC
Suitable wall thickness	34 / 40 / 44 mm	28 / 34 / 40 / 44 mm	28 / 34 / 40 / 44 mm
Glued wood	+	+	+
Mullions	+	+	_
Glazing	Double (ISO)	Single	Single
Glass thickness	3/6/3 mm	4 mm	4 mm
U-value	3.3 W/m ² K	5.6 W/m ² K	5.6 W/m ² K
Silicone seal	+	_	_
Water drip	_	_	_
Opens	Exterior	Exterior	Exterior

"REGENT PLUS" DOOR AND WINDOW HANDLE





	HANDLE FOR WINDOW	HANDLE FOR DOOR
Item number	992100	992000



128 | 129 www.lasita.com LASITA MAJA ACCESSORIES

WINDOWS

SINGLE WINDOW 1



SINGLE WINDOW 3



SINGLE WINDOW 2



DOUBLE WINDOW



	SINGLE WINDOW 1	SINGLE WINDOW 2	SINGLE WINDOW 3	DOUBLE WINDOW
Size	685 × 882 mm	882 × 882 mm	710 × 1224 mm	1290 × 882 mm
Wood type	Spruce	Spruce	Spruce	Spruce
Item number	AK.1.106.TSSV.d SGC	AK.1.109.TPSP.b DGP+	AK.1.106.TSSP SGC	TAK.1.106.TSSP.a SGC
Suitable wall thickness	28 / 34 / 40 / 44 mm	34 / 40 / 44 mm	28 / 34 / 40 / 44 mm	28 / 34 / 40 / 44 mm
Glued wood	+	+	+	+
Mullions	+	+	+	+
Glazing	Single	Double (ISO)	Single	Single
Glass thickness	4 mm	3/6/3 mm	4 mm	4 mm
U-value	5.6 W/m ² K	3.3 W/m ² K	5.6 W/m ² K	5.6 W/m ² K
Silicone seal	_	+	_	_
Water drip	Wood	Aluminium	Wood	Wood
Opens	Interior	Interior	Interior	Interior
Opening system	2-hand tilt&turn	2-hand tilt&turn	2-hand tilt&turn	2-hand tilt&turn

MODERN SINGLE WINDOW



FLOOR-TO-CEILING SINGLE WINDOW



FLOOR-TO-CEILING

DOUBLE WINDOW


SKYLIGHT (FIXED)



	MODERN SINGLE WINDOW	FLOOR-TO-CEILING SINGLE WINDOW	FLOOR-TO-CEILING DOUBLE WINDOW	SKYLIGHT (FIXED)
Size	525 × 1560 mm	560 × 1780 mm	1010 × 1780 mm	1500 × 410 mm
Wood type	Spruce	Spruce	Spruce	Spruce
ltem number	AK.1.100.TPSP.j DGP+	AK.1.100.TPSP DGP+	TAK.1.100.TPM0.e DGP+	AK.1.100.TPM0.k DGP
Suitable wall thickness	34 / 40 / 44 mm	34 / 40 / 44 mm	34 / 40 / 44 mm	34 / 40 / 44 mm
Glued wood	+	+	+	+
Mullions	_	_	-	_
Glazing	Double (ISO)	Double (ISO)	Double (ISO)	Double (ISO)
Glass thickness	3/6/3 mm	3/6/3 mm	3/6/3 mm	3/6/3 mm
J-value	3.3 W/m ² K	3.3 W/m ² K	3.3 W/m ² K	3.3 W/m ² K
Silicone seal	+	+	+	+
Water drip	Aluminium	Aluminium	Aluminium	Wood
Opens	Interior	Interior	_	_
Opening system	2-hand tilt&turn	2-hand tilt&turn	2-hand tilt&turn	_

ACCESSORIES

STANDARD ROOFING FELT





Suitable for short-term use or as underlay for other roof coverings such as shingles or premium roofing felt, available in classic grey, on a 10 m² or 15 m² roll.

PREMIUM ROOFING FELT



High-quality polymer bitumen roofing felt – suitable for long-term, waterproof covering of roofs, available in four colours, on 15 $\rm m^2$ roll.









	ROLL 10	ROLL 15
Item number	261	262
Roof area	10 m ²	15 m ²

	BLACK	RED	GREEN	BROWN
Item number	37449	37451	37452	37453
Roof area	15 m ²	15 m ²	15 m ²	15 m ²

ROOF SHINGLES



GREEN


16275

3 m²

BROWN

264

3 m²



RED



Item number 263 16274 Roof area 3 m² 3 m²

BLACK

ONDULINE





	GREY
Item number	37470
Roof area	5 m ²

INFRARED HEATER





Marmorny infrared heater: Beneficial infrared heat and healthy climate with state-of-the-art controls. Everything is possible, from a number of daily and weekly settings, frost protection or holiday mode to "open window detected". Simply install, plug in and feel really good. Connection voltage: 230 V, 50 Hz.

When installing in a garden cabin, a non-combustible plate must be mounted between the heating panel and the wall as a base for the heater.

	JURA	JURA	CARRARA	CARRARA
	500 WATTS	800 WATTS	500 WATTS	800 WATTS
ltem	M500-	M800-	C480-	C780-X010
number	X018	X006	X014	
Dimensions	50 × 60 ×	100 × 40 ×	50 × 60 ×	100 × 40 ×
	2 cm	2 cm	2 cm	2 cm

PENT ROOF



	A 90 × 240	A 90 × 300	B 90 × 240	B 90 × 300
Item number	280700	285200	9901600	9901700
Wall thickness	_	_	19 mm	19 mm
Base dimensions W × D	90 × 240 cm	90 × 300 cm	90 × 240 cm	90 × 300 cm
Floor area	2 m ²	2.50 m ²	2 m ²	2.50 m ²
Capacity	3.50 m ³	4.40 m ³	3.50 m ³	4.40 m ³
Side wall height	166 cm	166 cm	166 cm	166 cm
Ridge height	186 cm	186 cm	186 cm	186 cm
Roof area	2.60 m ²	3.30 m ²	2.60 m ²	3.30 m ²
Roof covering, optional	1 × 15 m			
Roof shingles, optional (pack)	2	2	2	2







ACCESSORIES

TERRACES



	28 3013	40 3613	40 3913	40 48513
Item number	285300	4018600	4018700	4018800
Wall thickness	28 mm	40 mm	40 mm	40 mm
Base dimensions	300 × 120 cm	360 × 120 cm	390 × 120 cm	485 × 120 cm
W×D	300 × 120 cm	300 × 120 cm	390 ^ 120 CM	485 × 120 cm
W × D Floor area	3.40 m ²	3.90 m ²	4.20 m ²	5.30 m ²

BAR



	BAR UNIT
Item number	991900
Dimensions W × D	190 × 65 cm
Height	102 cm

FLOWER BOX





	FOR SINGLE WINDOWS	
Item number	990600	
Box width	84.6 cm	
	FOR DOUBLE WINDOWS	
Item number		

PAINT FOR REPAINTING

If you have bought a garden cabin that has already been painted by Lasita Maja, you can obtain the original paint for repainting from a well-stocked specialist shop.



GUTTERS









Gutter sets for garden cabins with a roof depth of up to 490 cm. Consisting of gutter, gutter connector, gutter bracket, end pieces, rainwater downpipe, pipe elbow and downpipe bracket, diameter 10 cm.

	SET A	SET A INCL. DOWNPIPE	SET B	SET B INCL. DOWNPIPE			SET E INCL. DOWNPIPE	SET F INCL. DOWNPIPE
Item number	35807	35808	35809	35810	35811	35812	35813	35814
For roof length	180 – 219 cm	180 – 219 cm	220 – 259 cm	220 – 259 cm	260 – 300 cm	301 – 349 cm	350 – 390 cm	400 – 490 cm

WINDOW SHUTTERS



Window shutters for windows (cm)	540 × 540	685 × 882	770 × 770	770 × 990
Item number	994300	994400	994500	994600
Window shutters for windows (cm)	882 × 882	882 × 990	882 × 1110	1290 × 882
Item number	994700	994800	994900	995000

WINDOW FILM

Mirror film for Murano 2, Murano 3, Domeo 1, 4, 5. Reflection to the outside for more privacy, modern design, permeable to natural light. For more information, please contact your dealer!





All about the garden cabin

GOOD TO KNOW.



What should I consider before ordering a garden cabin?

The assembly of a garden cabin is usually regulated by local authority regulations. Prior to ordering, enquire about the applicable regulations from your local authority. We will be happy to provide you with the relevant technical data sheets and also have static calculations available for many models. If you need such documents, just ask us.

How will my garden cabin be delivered?

In principle, we deliver our garden cabins and kits to the respective ordering partner. On request, it is also possible to deliver the kit "free to the

kerb" to your home. Please note that the road access must be suitable for a 40-t HGV and your availability by telephone for the delivery agreement must be guaranteed. Unloading is carried out using a truck-mounted forklift. A sufficiently solid surface must be available for this.

Does my cabin need a foundation?

We recommend assembly on a firm foundation to which the garden cabin can also be attached. Ideally you should create a foundation slab. This should be slightly smaller (1-2 mm/side) than the substructure. It is important that the foundation is constructed in such a way that it will not give way due to rain, frost or snow, nor will it lift or sink.

What tools will I need for the assembly?

For correct assembly, you will need, among other things: Phillips and possibly Torx screwdriver, cordless screwdriver, wood drill, power drill, universal pliers, Stanley knife, saw, inch rule, spirit level, string, hammer, pencil, possibly glue, possibly clamps and a ladder. At all times, when using tools, ladders etc., ensure safe handling and a secure footing. All the required screws and fittings are included in the kit. Assembly should be carried out by more than one person.





What must I consider before assembling my garden cabin?

Our garden cabins come with two sets of assembly instructions: the general instructions and the specific instructions that list the details of your purchased garden cabin. Read the assembly instructions carefully and check the kit against the parts list for completeness, damage and integrity. Please note: Garden cabins and holiday homes made from wood are natural products. Hairline cracks, gumming, knots and minor warping of the wood do not constitute grounds for complaint, as these are product-specific characteristics that do not affect the use of the product. Our log assembly kits (exception: system and panel cabins) should not be screwed tightly into the walls or at the door. The boards remain "loosely" connected and must have the opportunity for flexible movement (lifting and lowering).



How can I complain about damaged parts?

Complaints are accepted if they are made in writing within 14 days of delivery of the cabin. To do this, mark the relevant parts on the parts list and send this with the purchase receipt and assembly instructions (incl. control no.) to your dealer. They will process your complaint with us. A digital photo or presentation of the parts that you are not happy with serves as proof.

How do I ensure permanent protection of the garden cabin?

Our components are delivered in their natural state. Therefore, once assembled, you must paint the cabin, windows and doors on the interior and exterior with at least a colourless wood preservative. It is recommended that you use environmentally-friendly water-based products for this and refresh the protective coating at intervals of at least two years. This will ensure that you can enjoy looking at and using your garden cabin for many years to come.

What form does the roofing of a garden cabin take?

If roof covering is included in the scope of delivery, we supply bitumen roofing felt for the initial covering. This should be renewed after approx. one year in order to maintain long-term rain protection. We also offer bitumen roof shingles in a high-quality and resilient form which protect the roof for a longer period of time. For our flat-roof models, we recommend our Onduline KSK-M roofing membrane as well as our gutter sets (see Accessories).



www.lasita.com GOOD TO KNOW 136 | 137

LASITA MAJA – Paint system

CARE INSTRUCTIONS.

In order to enjoy your painted blockboard cabin for a long time, it is necessary to maintain the surface professionally on a regular basis. If you carry out this maintenance yourself, please read the general safety instructions in our assembly instructions and also the corresponding maintenance information. Should the surface incur minor damage during assembly or delivery, please use the paint supplied to repair this damage. This replacement paint is intended to repair small areas of mechanical damage or wood caps (spot repair) and not to paint large areas. Should you need paint for repainting, please contact your specialist dealer, they will be happy to help you.

It is important to clean the surface regularly. This will significantly extend the life of your product. Inspect your garden cabin every year for possible dirt, algae growth, damage, delamination or paint degradation. It is also important to keep the paint surface free of vegetation or plants. They prevent adequate ventilation and lead to moisture buildup. Pay particular attention to the sides facing the sun. These are exposed to more UV radiation and may need more attention.



MAINTENANCE / **REPAINTING:**

- 1. Clean the surfaces to be maintained with an appropriate cleaning agent.
- 2. Remove loose or porous layers of paint, preferably with a suitable abrasive material.
- 3. Apply the maintenance coat with a suitable brush. Ensure the paint is applied thickly and evenly.
- 4. Allow the paint to dry well (at least 48 h).
- 5. Apply a second coat to the renewed surface (attention, little paint absorption!), thereby protecting the surface.

If you carry out this maintenance correctly, you will enjoy your garden cabin for many years.

If you have any questions, please do not hesitate to contact us or your specialist dealer.

Quality features


EVERY DETAIL COUNTS.



Impregnated terrace boards



Impregnated substructure protects the wood against moisture and extends the service life











15/18 mm floorboards (optionally available in 28 mm for holiday homes).







The cabins are packed very carefully for transport. UV-resistant film as well as sturdy pallets protect the garden cabins from moisture and transport damage.



All end profiles included in delivery



Wooden storm strips or threaded rods (depending on model) protect your garden cabin against strong wind:





18 mm roof boards





© LASITA MAJA